

Marlborough Vintage Car Club

Contact: Tris Winstanley

email: tandhwin@xtra.co.nz

Tapered Roller Bearings - (Bin 1)

Number	Make	Qty	ID	OD	Width
Cup and Cone					
29LJT25	RM	1	24.9mm	51.9mm	14.95mm
6205	SKF	1	24.9mm	51.9mm	14.95mm
6205-2Z	SKF	2	24.9mm	51.9mm	14.95mm
6205RSR	FAG	2	24.9mm	51.9mm	14.95mm
62052RS	FAG	1	24.9mm	51.9mm	14.95mm
6202	NACHI	2	14.95mm	34.95mm	10.95mm
6202	SKF	1	14.95mm	34.95mm	10.95mm
6204	NACHI	1	19.85mm	41.95mm	12.2mm
6007LS	NTN	1	34.9mm	61.9mm	13.95mm
XXLJ45	RM	1	44.5mm	75mm	13.95mm
6006C3	FAG	1	29.6mm	55mm	12.95mm
MJ15	RM	1	14.9mm	41.95mm	13.0mm
6007LB	NTN	1	34.9mm	61.9mm	13.95mm
6302ZZ	NTN	1	14.9mm	42mm	13mm
6302XN	NACHI	1	14.9mm	42mm	13mm
MJ20	RM	1	19.6mm	52mm	15mm
6305N	STEYR	2	24.9mm	62mm	17.5mm
MJ25WSRR	RM	1	24.5mm	61.95mm	17.5mm
ATY	HOFFMAN	1	24.9mm	62mm	16.95mm
6305	NSK	1	24.9mm	62mm	17.0mm
6303Z	KOYO	1	16.9mm	47mm	13.95mm
6303LS	NTN	1	16.9mm	47mm	13.95mm
6204ZZ	SKF	1	20mm	52mm	15mm
6307RS	KOYO	1	34.95mm	80mm	20.95nn
6303ZZ	KOYO	4	16.9mm	47mm	13.95mm

306WD	FAFNIR	2	29.95mm	71.95mm	19.0mm
6207	HOFFMAN NACHI	3	34.9mm	72mm	17.0mm
6206 2RS	FAG + KOYO	2	29.5mm	62mm	15.95mm
6207Z	STEYR	1	34.9mm	72mm	17.0mm
6208	FH3	1	40mm	80mm	18.0mm
6210	HOFFMAN	1	49.75mm	89.95mm	20.0mm
21212	TIMKEN	1	19mm	54mm	23mm
26283	TIMKEN	3	30mm	72mm	16mm
26118/26283S	TIMKEN	1	30mm	72mm	16mm
6201	SKF	1	104.75mm	160mm	26mm
6308RS	??	1	39.5mm	89.95mm	22.9mm
01922	TIMKEN	1	28.5mm	54mm	19.95mm
LJT 1 1/4	RM	2	31.6mm	62mm	16mm
14LJT 7/8	FKC	2	21.95mm	50.75mm	14.25mm
6204ZNR	FAG	1	19.95mm	47mm	14.0mm
Z00	RM	10	10.0mm	30.0mm	8.95mm
6202Z	HIC	1	14.95mm	35mm	11.0mm
15	NSK	1	14.9mm	35.25mm	7.95mm
Cup Only					
15245	TYSON	1		62.0mm	14.4mm
17520	TIMKEN	4		42.85mm	13.5mm
26283	TIMKEN	1		58.5mm	25mm
21212	TIMKEN	1		54.0mm	15.8mm
26822	SKF	1		79.3mm	19.0mm
25238	TIMKEN	1		69.90mm	19.15mm
25522	TIMKEN	2		83mm	19.15mm
LM11910	TIMKEN	1		45.25mm	12.10mm

Cone Only					
26118S	TIMKEN	4	30mm		19.5mm
25577	TIMKEN	2	42.5mm		25.3mm
LM11949	TIMKEN	1	18.9mm		16.5mm
09067	TIMKEN	1	19mm		19.0mm
1988	KOYO	1	28.5mm		19.10mm
Small Roller Bearings					
HLJ10	RM	1	10.0mm	30.0mm	8.95mm
518358	FAFNIR	2	12.5mm	28.5mm	6.3mm
394737A	SKF	1	12mm	27.9mm	12.0mm

Tapered Roller Bearings -(Bin 2)

Number	Make	Qty	ID	OD	Width
Cup and Cone					
L44600L	Timken	1	25.25mm	50.25mm	15.75mm
30206	Timken	1	29.8mm	61.9mm	18.0mm
32206	Timken	1	29.8mm	62.3mm	21.5mm
11300/1162	Timken	1	41.00mm	76.15mm	18.6mm
A11820/Z02811	HYATT	1	61.65mm	100mm	16.75mm
12580/2520	Timken	2	20.5mm	49.2mm	16.0mm
LM11940	KOYO	1	19.0mm	45.3mm	16.5mm
LM11910/LM11949	NTN/KOYO	3	19.0mm	42.25mm	16.5mm
M12648/M12810	BOWER	1	21.3mm	50.0mm	18.5mm
LM11710/LM11749	NSK	3	17.3mm	39.8mm	14.9mm
6303	SKF	1	16.85mm	47.0mm	13.93mm
6204-686B	STEYR	1	19.8mm	47.0mm	13.95mm
LM14710/LM12749	Timken	1	21.8mm	45.2mm	16.5mm
LM29711/LM29749	NTN	1	38mm	65mm	19.75mm
LM48598/10	BOWER	2	34.6mm	65mm	18.5mm
LM68149	Timken	1	34.9mm	59mm	16.9mm
LM67010/48	Timken	1	31.7mm	59.1mm	16.7mm
HM515716/745	Timken	1	75.9mm	142mm	33.3mm
Cup Only					
L44610	Timken	1		50.3mm	10.65mm
09194S	Timken	1		52.95mm	14.8mm
2F/11410Z	SKF	2		79.5mm	16.75mm
K11300	SKF	1		76.2mm	14.3mm
14274	Timken	3		68.95mm	16.00mm
K14276	SKF	3		69.0mm	15.95mm
14274S	Timken	1		75.25mm	16.0mm
LM11910	Timken SKF	5		45.25mm	12.1mm
31520	Timken	2		76.25mm	23.78mm
36300	Timken	1		76.25mm	23.8mm
Cone Only					
L44649	Timken	2	26.9mm		14.7mm
L44642	Timken	1	25.30mm		14.7mm

CK-7098	SKF	1	24.75mm		14.65mm
14123T	BOWER	1	30.75mm		20.63mm
LM11494	Timken	3	19.0mm		16.5mm
KLM11749	FAG	1	17.4mm		14.6mm
05070X	Timken	1	17.95mm		14.5mm
09067	Timken	64	19.0mm		19.3mm
LM67048	Timken	2	31.7mm		16.7mm
36137	Timken	2	34.5mm		29.7mm

Tapered Roller Bearings -(Bin 3)

Number	Make	Qty	ID	OD	Width
Cup and Cone					
K559/4	SKF	1	63.1mm	123.8mm	38.25mm
LRJ 2 1/4	R.M.	1	56.75mm	114.20mm	22.6mm
592A/594	Timken	1	94.75mm	152.3mm	39.7mm
U298/U261L	Timken	1	34.7mm	65mm	20.5mm
244X/248X	Timken	1	20.5mm	62mm	21.0mm
UR61L/U298	Timken	1	34.75mm	65mm	20.5mm
552A	Timken	1	63.3mm	123.80mm	38.0mm
453AS/455	Timken	1	50.5mm	107.9mm	30.0mm
236/241	Timken	1	69.5mm	120mm	30.8mm
Cup Only					
3K163	SKF	1		51.95mm	14.95mm
CUP 6.00	Timken	1		1.75"	0.36"
354	Timken	1		86.95mm	18.95mm
354A	Timken	2		84.9mm	17.4mm
385A	Timken	1		50.25mm	22.75mm
1202A	SKF	1		57.2mm	15.80mm
Cone Only					
256	Timken	1	32.95mm		19.75mm
338	Timken	1	25mm		22.5mm
336	Timken	2	41.2mm		22.75mm
355X	Timken	1	44.25mm		22.2mm
359A	Timken	2	45.95mm		22.5mm

Deep Groove -(Bin 4)

			Metric (or Imperial “)		
Number	Qty	Make	ID (mm)	OD (mm)	Width (mm)
400648	2	SKF	1.11”	2.8”	0.77”
RMS72RS	5	KOYO	21.5	57.0	17.4
RMS7C6	2	STEYR	21.5	57.0	17.4
RMS6	3	RHP, KOYO, SKF	18.9	50.75	17.4
RMS5.2RS	1	JAF	15.75	45.95	15.8
RLS7	1	FAG	22.0	50.75	14.25
RLS5	5	STEYR NBC	15.8	39.65	11.0
RMS4C6	1	STEYR	12.6	41.25	15.85
RMS4	1	STEYR	12.6	41.25	15.85
RLS6-2RS1	2	SKF	18.55	47.5	14.25
RLS6	1	HIC	19.0	47.5	14.4
RLS5Z	1	JAF	15.8	39.65	11.1
LRJ 5/8	1	R.M	5/8”	1. 1/4”	7/16”
RLS9	1	VPB	1. 1/8”	2. 1/2”	5/8”
MS82RS	3	RHP	19	50.75	17.4
RMS-82RS	1	JAF	25	63.5	19
RMS8	2	RHP	1”	2. 1/2”	3/4”
RLS10	2	HOFF MANN	1”	2. 1/4”	5/8”
RMS10C6	2	STEYR	1. 1/4”	3. 1/8”	7/8”
36G50/7MJ1 G	1	R.M	25	63.46	19
MJ1 1/4	2	RHP	1. 1/4”	3. 1/8”	7/8”

RMS10	1	FBC	1"	2. 1/2"	3/4"
RLS12	5	NACHI FAG	38	82.5	19
RMS11	1	HOFF MANN	1. 1/8"	2. 13/16"	13/16"
RLS14C6	2	STEYR	1. 3/4"	3. 3/4"	13/16"
RLS14	2	SKF	1. 3/4"	3. 3/4"	13/16"
K53375-2	1	SKF	outer cup	3. 3/4"	13/16"
XLS2 1/4	2	FAG	2. 1/4"	3. 21/32	5/8"
LD17	1	UBCO	16.9	39.95	11.95
RMS-822	4	JAF	25	63.5	19

Cylinder Rollers - (Bin 5)

Metric (or Imperial “)					
Number	Qty	Make	ID (mm)	OD (mm)	Width (mm)
414XA/420	1	Timken	39	90	20/29
KO2876	2	SKF	31	no outer	21
1N303	1	RHP	17	47	14
NF305	1	NSK	25	no outer	15
IR3036	1	IRB	1. 3/8”	3”	11/16”
2745	1	FAG	1. 3/8”	3”	11/16”
LLRJ 1 3/8	1	RHP	1. 3/8”	3”	11/16”
MRJ30	1	RM	29.88	72	19
19100	1	RM	1. 3/8”	3”	11/16”
N204	1	RHP	19.8	47.10	13.83
RW607BR	1	Delco	1. 3/8”	3”	1”
U298/91010	1	Timken	34.94	65	20.50/17.10
30204	1	NTN	20	47	14.0/11.9
30205	2	NTN	24.91	51.93	14.9/12.8
N309	1	KOYO	44.65	99.95	25
LRJA50	1	RM	49.70	89.90	19.95
N308	1	KOYO	39.7	90.0	23.15/22.95
CRL18BS	1	KOYO	3. 15/16”	4. 1/2”	7/8” no inner
CRL20BS	1	KOYO	63.25	110.45	23.85 no outer
QUB175C kit	1	RHP	12.50	72.65	25.99/28.68
CRL20	1	KOYO	outer ring	5”	4.34/0.943

Thrust Bearings – (Bin 6)

Metric (or Imperial “)					
Number	Qty	Make	ID (mm)	OD (mm)	Width (mm)
A84	1	Hoover	1”	1.96”	0.62”
AC510	1	SKF	1.25”	2.75”	0.69”
AK2691/ 407677	1	SKF	29mm	62mm	22mm
DAG8257 WRS	1	KOYO	1. 1/4”	2.6”	1.6”
DG357226W2 RSC4	1	KOYO	1. 3/4”	2.83”	11/16”
EN16	1	Hoffman	16	38	10
EW7/8		Hoffman	7/8”	1 1/2”	3/8”
LJT15	1	R.M	15	35	11
LJT25	1	RHP	25	52	15
LJT30	1	R.M	30	62	16
MJT1	6	SKF, R.M, FAG GHA RHP	1”	2 1/2”	3/4”
MJT 7/8		RHP	7/8”	2 1/4”	11/16”
MJT25	2	RHP	25	62	17
MRJ1	1	R.M	1”	2 1/2”	3/4”
MT 1 1/8	1	RHP	1 1/8”	2 1/4”	7/8” Not complete
RW507	1	JAF	35	72	23
2LJT 3/7	1	FKC	1.25”	2.45”	0.64”
14LJT 1 1/4	2	R.M FBC	1 1/4”	2 3/4”	11/16”
16LJT 1 1/4	1	RHP	1 1/4”	2 3/4”	11/16”

21MJ1	1	RHP	1"	2 1/2"	3/4"
34LJT25	1	R.M	25	52	15
38LJT30	1	R.M	30	62	16
62-2203	1	KOYO	22	50	14
320/28J	2	NSK	28	52	16
3885A019	1	NTN	27	58	37
4204 Kit	1	NTN	34	64	37
5304	2	HIC	20	52	22.225
28316TC010	1	NSK	34.5	65	37
51204	2	SKF	20	40	14
87604L 954733	1	ND	20	52	15
200685 - 87505	1	FAG	25	52	15
403715	1	SKF	32	62	19
411280	1	Pollard	30	72	25/28
507783VJ	1	FAG	17.463 11/16"	47.639 1 7/8"	17.475 11/16"
509760A	2	FAG	23	52	15
30mm od 33mm collar (1)					

Clutch Bearings and Forks - (Bin 7)

Number	Make	Qty	Vehicle
Clutch Forks + Carbon Bearings			
835775		1	
76078		1	
7863		1	
R44063		1	
20050		1	
2A3090	MOWOG	2	
WSG1 GM		1	
Clutch Forks Only			
		1	Holden 149-186
167A	MOWOG	2	
11G3194	MOWOG	1	
838708		1	Chev
15111	MOWOG	1	
526129		2	
		1	HC Viva
8387711		1	
69AB7541BA-VB	Ford	1	
48-7615		1	
Clutch Carbon Bearings Only			
44733	Borg and Beck	2	
1F3274G (new)		1	
412 ??	Borg and Beck	1	
337055		1	
	GMH	1	
41224	Borg and Beck	2	

486	Borg and Beck	1	
Q402		1	
Roller Throw-out Bearings			
N46	RHP	2	
GT22	SKF	1	
407316A	SKF	1	
9W 1 5/8	POLLARD	1	
9W 1 5/8	RHP	1	
P	NSK	1	
CT3633	FAFNIR	1	
ASW 1 1/4	SKF	1	
Clutch Steel Throw-out Bearings			
44930		3	
P44930	REPCO	1	
Thrust Washers			
F44930	Borg and Beck	1	

Various Bearings - (Bin 8)

Metric (or Imperial “)					
Number	Qty	Make	ID (mm)	OD (mm)	Width (mm)
Angular Contact Bearings					
3211	2	KOYO SKF	55	100	33.3
30309	1	KOYO	45	100	27.25
30308J2	1	SKF	40	90	35.25
3 Piece Ball Bearing					
6202	1	NSK	15	35	11
6202V	1	NSK	15	35	11
17304	2	SKF	20	52	13.75
400396	1	SKF	25	59	22.25
909021	1	FAG	17.25	47.6	17.25
909602	1	SKF	outer	75.25	19.50
1041031	1	MTP	27	63.5	19.60
Clutch Thrust Bearing					
ECB117	1	Transit	1.30"	2.75"	1.55"
9/W 1 5/8	1	FKC	41	71.15	16
14093triumph	1	RHP	37.8	68.5	20
63761 Viva	1	SKF	1.0"	1.9"	1.35"
1038053	2	SKF	1.0"	2.3"	0.91"
Carbon Clutch Thrust Bearings					
CC49	1				
R44063	1				
4/WF34	1				
44753	1				

Self-Aligning Single and Double Row					
M205A22	1	ND	24.95	52	14.6
NLJ25	1	RM	19	52	15
3F1306TS	1	SKF	outer	72	19
1305	5	ND	25	62	17
2207	1	RB	35	72	23
2213K	1	SKF	65	120	31
2304	3	STEYR	20	52	21
Taper Roller Metric					
EKLM11910/ 11949	1	SKF	19.05	45.6	16.5
LRJ3/4	2	RM	3/4"	1 7/8"	9/16"
1 57/218	1	Fischer	3/4"	1 7/8"	9/16"
201KD	1	Fafnir	12	32	10
472	4	RM	3/8"	1 7/16"	15/32"
626	1	RHP	6	19	6
30305	1	HIC	25	62	15
30203	1	STEYR	17	40	13.25
30204	10	HIC SKF	20	47	15.25
30205	1	SKF	25	52	16.25
30206	3	STEYR HIC	30	62	17.25
30208J	1	KOYO	40	80	19.75
30304A	2	NTN	20	52	16.25
32204	1	NTN	20	47	15
32210	1	Timken	50	90	24.75

Needle Rollers - (Bin 16)

Number	Make	Qty	ID	OD	Width
Needle Rollers					
BT1112	KOYO	1		0.875"	0.746"
N5 3H2113	R.M.	15		0.85"	1.02"
NJ102820	Torrington	1		1.75"	1.25"
86B	HYATT	1		2.4"	0.75"
BTM3516	KOYO	1		42mm	15.85mm
URKPP	SKF	1	29.75mm	56.5mm	22mm
JX1212	Torrington	2		25.5mm	18.85mm
681225A	Ford USA	1		80.6mm	44.75mm
Y-20	Torrington	1		1.0"	0.5"
904000	Blackwell	1		39.75mm	31.0mm
7722	HYATT	1		2.25"	2.35"
Outer Race					
1431934	SKF	1		43.5mm	25.4mm
Steering Box Roller Pegs					
J753	SKF	2		22.2mm	26.95mm
Loose Rollers					
		63		0.125"	0.925"
		40		2.8mm	16.5mm
Ball Bearings					
	Reliant	72		1/8"	

Angular Contact & Deep Groove - (Bin 17)

Number	Qty	Make	ID (mm)	OD (mm)	Width (mm)
Angular Contact 7000 series					
3204	1	NTN	19.75	47.00	20.6
7204B LTJ20	1	R.M.	19.90	47.00	14.0
7202	1	STEYR	14.95	34.95	10.95
3203	1	N.D.	16.9	39.95	12.0
6200	1	STEYR	9.9	29.95	9.0
7303B	1	NSK	16.9	47.00	14.0
RF94	1	FAFNIR	9.4	22.2	7.85
626B	1	FAG	6.0	19.0	6.0
7205B	1	NSK	24.9	51.95	15.1
73038	2	NSK	16.9	46.95	13.95
406W	1	FAFNIR	24.95	80.25	20.0
Deep Groove 6400 series					
XBY	1	HOFFMANN	8.9	27.95	8.0
M9	1	R.M.	8.9	27.95	8.0
M10	1	R.M.	9.65	28	8.0
LJT1B	1	R.M.	14.95	34.95	11.30
14732A	1	SKF	11.9	27.95	12.0
Bearing Deep Groove - Miniature					
7203B	1	SKF	16.95	40.00	11.95
629M	1	KOYO	8.9	25.95	7.95
KLNJ1/N	1	R.M.	12.6	28.50	6.35
M10	1	R.M.	9.85	27.95	7.95
NLJ10	1	R.M.	9.9	29.9	8.95
XRY	1	HOFFMANN	8.9	28.25	7.95
109V2	1	R.M.	8.90	26.0	8.0
KL1J/Z	1	R.M.	12.6	28.5	6.35

Taper Roller Bearings - (Bin 19)

Metric (or Imperial ")					
Number	Qty	Make	ID (mm)	OD (mm)	Width (mm)
Cup & Cone Complete					
3188S-3120	1	Timken	31.75	72.626	23.813
07210X	3	Timken SKF FAG	1.0"	2.0"	17/32"
07100S -07210X	2	Timken	1.0"	2.0"	0.5614"
3478-3420	1	Timken	34.92	79.37	23.81
9192035	2	Timken	1.25"	2.8593"	1.1875" MG Diff
ATC709	1	Timken	28.5	68.5	17.85 Austin Healy Diff 1954-67
9192004	1	Timken	22	47.0	16.6
07100S/ 72100	2	Timken SKF	25.4	50.8	14.95
O1573	1	Timken	17.4	44.5	15.7
6203	1	RHP	16.85	39.95	12
Cup Only					
O9195	2	Timken SKF		49.22	14.28
13C	1	Timken		49.23	11.51
2729	2	Timken		76.2	19.05
2633X	1	Timken		63.1	19.05
K1922FX	1	SKF		2.25"	0.625"

1729X	1	Timken		56.9	15.87
1729	3	Timken		56.9	15.87
O5175	3	Timken		44.45	11.43
K05185	1	FAG		47	11.11
O9194-S	2	Timken		52.88	14.68
2736	1	Timken		2 15/16"	3/4"
O9194	1	SKF		49.225	17.463
K09194	1	FAG		49.225	17.46
O9196	1	SKF		49.22	17.46
16523	1	Timken		2.4"	0.625"
K07204	2	FAG		52	12.7
81T-3553	1	Timken		2.25"	0.70"
Cone Only					
6375	1	Timken	2 1/4"		2.025"
1799	1	Timken	0.9375		0.781
359S	1	SKF	46		20
3580	1	Timken	37.5		29.25
3188	1	Timken	21.5		30.00
O7098	1	Timken	24.85		14.9
1755	1	Timken	7/8"		19.837
O5070X	1	Timken	18		14.38
O5068	4	Timken	11/16"		14.381
81T-3571-A	2	Ford ?	1.65"	Cage only	0.47" Ford Truck 1938-47 Steering worm